


# TECHNICAL DATA SHEET

**OPTIMA 6**  
SLIDING DOOR  
SHOWER ENCLOSURE,  
SIDE PANEL & INLINE PANEL

06SL10CUC/06SL10CUW  
06SL11CUC  
06SL12CUC/06SL12CUW  
06SL13CUC  
06SL14CUC




**CORAM**  
SHOWERS

## HEIGHT & WEIGHT

PRODUCT CODE	DESCRIPTION	WEIGHT NET KG	HEIGHT (MM)	WIDTH (MM)
O6SL10CUC / O6SL10CUW	OPTIMA SLIDING DOOR 1000MM CHROME OR WHITE	30.5	1900	1000
O6SL11CUC	OPTIMA SLIDING DOOR 1100MM CHROME	33.5	1900	1100
O6SL12CUC / O6SL12CUW	OPTIMA SLIDING DOOR 1200MM CHROME OR WHITE	36.5	1900	1200
O6SL13CUC	OPTIMA SLIDING DOOR 1300MM CHROME	39	1900	1300
O6SL14CUC	OPTIMA SLIDING DOOR 1400MM CHROME	42	1900	1400

all dimensions are in mm


## DOOR OPENING DIMENSIONS



PRODUCT CODE	WIDTH (MM)	DOOR OPENING (A)
O6SL10CUC / O6SL10CUW	1000	375
O6SL11CUC	1100	425
O6SL12CUC / O6SL12CUW	1200	475
O6SL13CUC	1300	525
O6SL14CUC	1400	575


all dimensions are in mm

# DOOR ADJUSTMENT



PRODUCT CODE	OVERALL WIDTH (B)	AMOUNT OF ADJUSTMENT (PER SIDE)
O6SL10CUC / O6SL10CUW	955-995	20
O6SL11CUC	1055-1095	20
O6SL12CUC / O6SL12CUW	1155-1195	20
O6SL13CUC	1255-1295	20
O6SL14CUC	1355-1395	20

all dimensions are in mm




**Side Panel Adjustment dimensions**


DOOR PRODUCT CODE	OVERALL WIDTH (C)	ADJUSTMENT (DOOR)	AMOUNT OF ADJUSTMENT	SIDE PANEL CODE	SIDE PANEL OVERALL WIDTH (D)	ADJUSTMENT (SIDE PANEL)	AMOUNT OF ADJUSTMENT
O6SL10CUC / O6SL10CUW	1000	955-975	20	O6SP70CUC	700	675-695	20
O6SL11CUC	1100	1055-1075	20	O6SP76CUC / O6SP76CUW	760	735-755	20
O6SL12CUC / O6SL12CUW	1200	1155-1175	20	O6SP80CUC / O6SP80CUW	800	775-795	20
O6SL13CUC	1300	1255-1275	20	O6SP90CUC / O6SP90CUW	900	875-895	20
O6SL14CUC	1400	1355-1375	20	O6SP10CUC	1000	975-995	20


all dimensions are in mm

**Wall fixing dimension**



**Glass thickness**





### Door Adjustment dimensions

PRODUCT CODE	DOOR WIDTH	OVERALL WIDTH (E)	AMOUNT OF ADJUSTMENT (DOOR)	INLINE PANEL CODE	INLINE PANEL WIDTH (F)	INLINE PANEL ADJUSTMENT	AMOUNT OF ADJUSTMENT INLINE
O6SL10CUC / O6SL10CUW	1000	1130-1190	40*	O6IL20CUC	200	175-195	20
O6SL10CUC / O6SL10CUW	1000	1330-1190	40*	O6IL40CUC	400	375-395	20
O6SL10CUC / O6SL10CUW	1000	1530-1590	40*	O6IL60CUC	600	575-595	20
O6SL11CUC	1100	1230-1290	40*	O6IL20CUC	200	175-195	20
O6SL11CUC	1100	1430-1490	40*	O6IL40CUC	400	375-395	20
O6SL11CUC	1100	1630-1690	40*	O6IL60CUC	600	575-595	20
O6SL12CUC / O6SL12CUW	1200	1330-1390	40*	O6IL20CUC	200	175-195	20
O6SL12CUC / O6SL12CUW	1200	1530-1590	40*	O6IL40CUC	400	375-395	20
O6SL12CUC / O6SL12CUW	1200	1730-1790	40*	O6IL60CUC	600	575-595	20
O6SL13CUC	1300	1430-1490	40*	O6IL20CUC	200	175-195	20
O6SL13CUC	1300	1630-1690	40*	O6IL40CUC	400	375-395	20
O6SL13CUC	1300	1830-1890	40*	O6IL60CUC	600	575-595	20
O6SL14CUC	1400	1530-1590	40*	O6IL20CUC	200	175-195	20
O6SL14CUC	1400	1730-1790	40*	O6IL40CUC	400	375-395	20
O6SL14CUC	1400	1930-1990	40*	O6IL60CUC	600	575-595	20

\* For width with a side panel remove 20mm

CUSTOMER CARELINE 01460 256080

[www.coram.co.uk](http://www.coram.co.uk)

[technicalsupport@coram.co.uk](mailto:technicalsupport@coram.co.uk)

Coram Showers, Conquest Business Park  
Cad Road, Ilton, Somerset, TA19 9EA

**CORAM**  
SHOWERS